NAME:	NO:	CLASS:

ADMIRALTY SECONDARY SCHOOL

MID-YEAR EXAMINATION 2016

SUBJECT	: Mathematics
PAPER	: 1
LEVEL/STREAM	: Secondary 2 Express
DATE	: 6 May 2016
TIME	: 0800h – 0900h
DURATION	: 1 hour

Instructions to candidates:

1. Write your name, class and index number.

2. Answer **ALL** questions.

3. Calculators should be used where appropriate.
   If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.
   For π, use either your calculator value or 3.142, unless the question requires the answer in terms of π.

4. Essential workings must be shown. Omission of essential workings and illegible handwriting will result in loss of marks.

50

DO NOT TURN OVER THIS PAGE UNTIL YOU ARE TOLD TO DO SO.

This question paper consists of **9** printed pages including this cover page.

www.exampaper.biz

Downloaded from SingaKids.com

Answer **all** the questions.

1. **(a)** Expand and simplify $(3a-4)(-a+6)$.

(b) Simplify $(-2z^2)(-2z)^2$.

Answer (a) ..... [2]

(b) ..... [2]

2. Solve each of the following equations. Show your working clearly.

(a) $(x+3)(2x-4)=0$

(b) $(x+8)^2=25$

Answer (a) $x=$ ..... [2]

(b) $x=$ ..... [3]

www.exampaper.biz

Downloaded from SingaKids.com

3. Simplify the following.

(a) $\frac{20s}{3q^2} \times \frac{9pq^3}{5r}$

(b) $\frac{20a}{x-y} \div \frac{5}{x^2-y^2}$

Answer (a) ..... [2]

(b) ..... [3]

www.exampaper.biz

Downloaded from SingaKids.com

4. A map is drawn to a scale of 1 : 75000.

(a) This scale can be expressed as 1 cm represents n km. Find n.

(b) The distance between two towns on the map is 25 cm.
Find the actual distance, in kilometres, between the two towns.


(c) A lake has an actual area of 3.5 km^2.
Find the area, in square centimetres, of the lake on the map.
Give your answer correct to 3 significant figures.

Answer (a) $n =$ ..... [1]

(b) ..... km [1]

(c) ..... cm^2 [2]

5. In the diagram below, it is given that $AB = DC = 8$ cm, $\angle CBD = \angle ADB = 90°$ and $\angle BAD = 65°$. Given that ΔCBD and ΔADB are congruent, find reflex $\angle ADC$.



Answer reflex $\angle ADC =$ ..... ° [3]

www.exampaper.biz
Downloaded from SingaKids.com

6. The volume of a ball, V cm^3, is directly proportional to the cube of its radius, r.
When $r = 7.5$, $V = 562.5\pi$ cm^3.

(a) Find the equation connecting V and r.
Give the value of k, the constant, in terms of π.

(b) Calculate the value of V when $r = 9$, giving your answer in terms of π.

Answer (a) ..... [3]

(b) ..... [2]


www.exampaper.biz

Downloaded from SingaKids.com

7. In the figure below, the two vases A and B are geometrically similar. The heights of vases A and B are 10 cm and 40 cm respectively.

   (a) If the diameter of the base of vase B is 12.5 cm, calculate the diameter of the base of vase A.

   (b) Another vase C has a base of 20 cm and height of 75 cm. Is vase C similar to vase B? Show your working clearly in the space below.



Answer (a) ..... cm [2]

(b) Vase C is / is not (circle the right answer) similar to Vase B [3]

www.exampaper.biz
Downloaded from SingaKids.com

8. The volume of a hemisphere is given as $V = \frac{2}{3}\pi r^3$.

(a) Express r as the subject of the formula.

(b) Hence, find the value of r when $V = 1152\pi$ cm^3.

Answer (a) $r =$ ..... [3]

(b) $r =$ ..... cm [2]

9. Factorise the following expressions, showing all your working clearly.

(a) $21ax - 35ab - 9x + 15b$

(b) $2x^2 - 7x - 15$

Answer (a) ..... [2]

(b) ..... [2]

www.exampaper.biz

Downloaded from SingaKids.com

10. **(a)** Expand $(2x-4z)^2$.

(b) Hence, given that $x^2+4z^2=12$ and $xz=7$, find the value of $(2x-4z)^2$.

Answer (a) ..... [2]

(b) ..... [3]

www.exampaper.biz

Downloaded from SingaKids.com

11. **(a)** Factorise the expression $-x^2+3x+10$.

(b) Find the value of y when $x=0$ for the equation $y=-x^2+3x+10$.

(c) State the roots of the graph $y=-x^2+3x+10$.

(d) State the y - intercept of the graph $y=-x^2+3x+10$.

Answer (a) ..... [1]

(b) ..... [1]

(c) The root(s) is/are ..... [2]

(d) y - intercept = ... [1]

www.exampaper.biz

Downloaded from SingaKids.com

NAME:	NO:	CLASS:

ADMIRALTY SECONDARY SCHOOL

MID-YEAR EXAMINATION 2016

SUBJECT	: Mathematics
PAPER	: 2
LEVEL/STREAM	: Secondary 2 Express
DATE	: 12 May 2016
TIME	: 0800h – 0930h
DURATION	: 1 hour 30 minutes

Instructions to candidates:

1. Write your name, class and index number.
2. Answer **ALL** questions.
3. Calculators should be used where appropriate.
   If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.
   For π, use either your calculator value or 3.142, unless the question requires the answer in terms of π.
4. Essential workings must be shown. Omission of essential workings and illegible handwriting will result in loss of marks.

50

DO NOT TURN OVER THIS PAGE UNTIL YOU ARE TOLD TO DO SO.

This question paper consists of **8** printed pages including this cover page.

www.exampaper.biz

Downloaded from SingaKids.com

Answer **all** the questions.

1. **(a) (i)** Simplify $(a+2)(a-2)$.

(ii) Hence, evaluate 38×42.

(b) (i) Simplify $(x-2)^2$.

(ii) Hence, evaluate 78^2.

Show your working clearly.

Answer (a) (i) ..... [1]

(ii) ..... [2]

(b) (i) ..... [1]

(ii) ..... [2]

2. a is directly proportional to b and inversely proportional to the square of c such that $a=\frac{kb}{c^2}$, where k is a constant.

(a) When $a=3$, $b=1$ and $c=2$. Find k.

(b) Find b when $a=4$ and $c=-2$.

Answer (a) k = ... [2]

(b) b = ... [2]

www.exampaper.biz

Downloaded from SingaKids.com

3. Expand and simplify the following.

(a) $(x-2)-3x(5x+3)$

(b) $x(7x+2)+5(-x+5)$

Answer (a) ..... [2]

(b) ..... [2]


www.exampaper.biz

Downloaded from SingaKids.com

4. $ABCD$ is a trapezium with height of 6 cm.

$AB = \frac{x}{2}$ cm and $DC = (2x + 5)$ cm.


Find the area of trapezium $ABCD$ in terms of x.



Answer ..... cm^2 [2]

www.exampaper.biz
Downloaded from SingaKids.com

5. A man is standing at a distance of 2.5 m away from a lamp post with a height of 6 m. The length of the man's shadow is 1.07 m. Using the concept of similar triangles, find the man's height, correct to 1 decimal place.



Answer ..... m [3]

www.exampaper.biz
Downloaded from SingaKids.com

6. Three quantities a, b and c are related by the formulae

$$b = \frac{2a+3}{4-a} \text{ and } c = \sqrt[3]{3-\frac{a}{4}}$$

(a) Express a in terms of b.

(b) Express a in terms of c.

(c) Express b in terms of c.

(d) Hence, find the value of b when $c = 2$.

Answer (a) $a =$ ..... [3]

(b) $a =$ ..... [3]

(c) $b =$ ..... [3]

(d) $b =$ ..... [2]

www.exampaper.biz

Downloaded from SingaKids.com

7. A wine barrel contains 240 litres of wine.
A large tap and a small tap are attached to the wine barrel.

(a) The small tap pours out x litres of wine per minute.
Write down an expression, in terms of x, for the number of minutes it takes to empty the barrel using the small tap.

(b) The large tap pours out $(x + 2)$ litres of wine per minute.
Write down an expression, in terms of x, for the number of minutes it takes to empty the barrel using the large tap.

(c) It takes 10 minutes longer to empty the barrel using the small tap than using the large tap.
Write an equation in x, and show that it simplifies to

$$x^2 + 2x - 48 = 0.$$ [3]

(d) Solve the equation $x^2 + 2x - 48 = 0$.

(e) From **(d)**, which answer is rejected? Why?

(f) Find the time taken, in minutes, to empty the barrel using the small tap.

Answer (a) ..... [1]

(b) ..... [1]

(d) $x =$ ..... [2]

(e) .....

..... [2]

(f) ..... min [1]

www.exampaper.biz

Downloaded from SingaKids.com

8. ***Answer the whole of this question on a piece of graph paper.***

x	-2	0	-1	1	2	3	4
$y=-2x^2+5x+7$	-11	7	0	p	9	q	-5

(a) Find the value of p and q from the table above. [2]

(b) Using a scale of 2 cm to represent 1 unit on the horizontal x - axis and 1 cm to represent 1 unit on the vertical y - axis, draw the graph of $y=-2x^2+5x+7$ for $-2 \le x \le 4$. [3]

(c) Use your graph in **(b)** to estimate the value of x for which the value of y is maximum. [1]

(d) Using the graph in **(b)**, state the two roots of the equation $-2x^2+5x+7=0$. [2]

(e) Without the use of **(b)**, give an alternative method to solve the equation $-2x^2+5x+7=0$. Show all working clearly. [2]

End of Paper

www.exampaper.biz

Downloaded from SingaKids.com

www.exampaper.biz

1	a) $(3a-4)(-a+6)$ $=-3a^2+18a+4a-24$ $=-3a^2+22a-24$	 B1 B1
	b) $(-2z^3)(-2z)^2$ $=(-2z^3)(4z^2)$ $=-8z^4$	 B1 B1
2	a) $(x+3)(2x-4)=0$ $x+3=0$ OR $2x-4=0$ $x=-3$ $2x=4$ $x=2$	 B1 each (Final answers)
	b) $(x+8)^2=25$ $x+8=\pm\sqrt{25}$ $x+8=\pm5$ $x+8=5$ $x+8=-5$ $x=5-8$ OR $x=-5-8$ $x=-3$ $x=-13$	 B1 B2 (1 mark for each answer)
3	a) $\frac{20s}{3q^2}\times\frac{9pq^3}{5r}$ $=\frac{4s}{1}\times\frac{3pq}{r}$ $=\frac{12pqs}{r}$	 B1 B1
	b) $\frac{20a}{x-y}\div\frac{5}{x^2-y^2}$ $=\frac{20a}{x-y}\times\frac{x^2-y^2}{5}$ $=\frac{20a}{x-y}\times\frac{(x+y)(x-y)}{5}$ $=\frac{20a(x+y)}{5}$ $=4a(x+y)$ *A lot of students did not simplify answers.*	 M1 (Multiply by reciprocal) M1 (using algebraic rule) A1

www.exampaper.biz

Downloaded from SingaKids.com

www.exampaper.biz

Downloaded from SingaKids.com

www.exampaper.biz

4	a) $n = 0.75$	B1
	b) Map : Actual 1 cm : 0.75 km Actual distance between 2 towns $= 25 \times 0.75$ km $= 18.75$ km	 B1
	c) Map : Actual 1 cm : 0.75 km $1\ \text{cm}^2 : 0.5625\ \text{km}^2$ $3.5\ \text{km}^2 \div 0.5625\ \text{km}^2$ $= 6.22\ \text{cm}^2$	 M1 A1
5	$\angle BDC = \angle ABD = 180^\circ - 90^\circ - 65^\circ$ $= 25^\circ$ ($\angle$s of congruent figures) Reflex $\angle ADC = 360^\circ - 90^\circ - 25^\circ$ $= 245^\circ$	B1 M1 A1
6	a) $V = kr^3$ When $r = 7.5$, $V = 562.5\pi$, $562.5\pi = k(7.5)^3$ $k = \dfrac{562.5\pi}{7.5^3}$ $k = \dfrac{4}{3}\pi$ $V = \dfrac{4}{3}\pi r^3$	 B1 (Substitution) B1 (Correct value of k) B1
	b) When $r = 9$, $V = \dfrac{4}{3}\pi(9)^3$ $= \dfrac{4}{3}\pi(729)$ $= 972\pi\ \text{cm}^3$	 M1 (e.c.f. from (a); correct substitution) A1
7	a) $\dfrac{10}{40} = \dfrac{\text{diameter of base of vase } A}{12.5}$ Diameter of base of vase $A = (10 \times 12.5) \div 40$ $= 3.125$ cm	B1 B1
	b) $\dfrac{12.5}{20} = \dfrac{5}{8}$ $\dfrac{40}{75} = \dfrac{8}{15}$ $\dfrac{5}{8} \neq \dfrac{8}{15}$ $\therefore$ Vase C is not similar to vase B.	B1 (accept inverse) B1 B1

www.exampaper.biz

Downloaded from SingaKids.com

8	a) $V = \frac{2}{3}\pi r^3$ $V \div \frac{2}{3}\pi = r^3$ $r^3 = V \times \frac{3}{2\pi}$ $r^3 = \frac{3V}{2\pi}$ $r = \sqrt[3]{\frac{3V}{2\pi}}$	M1 A1
	b) When $V = 1152\pi$. $r = \sqrt[3]{\frac{3(1152\pi)}{2\pi}}$ $= \sqrt[3]{1728}$ $= 12$	B1 B1
9	a) $21ax - 35ab - 9x + 15b$ $= 7a(3x - 5b) + 3(-3x + 5b)$ $= 7a(3x - 5b) - 3(3x - 5b)$ $= (7a - 3)(3x - 5b)$ OR $21ax - 35ab - 9x + 15b$ $= 21ax - 9x - 35ax + 15b$ $= 3x(7a - 3) + 5b(-7a + 3)$ $= 3x(7a - 3) - 5b(7a - 3)$ $= (3x - 5b)(7a - 3)$	M1 (Taking out common factor) A1 M1 (Taking out common factor) A1
	b) $2x^2 - 7x - 15$ $x \times -5 = -10x$ $2x \times 3 = 3x$ $2x^2 \quad -15 \quad -7x$ $= (x - 5)(2x + 3)$	 B1 (Working) B1

www.exampaper.biz

Downloaded from SingaKids.com

10	a) $(2x-4z)^2$ $=(2x)^2-2(2x)(4z)+(4z)^2$ $=4x^2-16xz+16z^2$	 M1 A1
	b) $x^2+4z^2=12$ $4x^2+16z^2$ $=4(x^2+4z^2)$ $=4(12)$ $=48$ $16xz$ $=16\times 7$ $=112$ $(2x-4z)^2$ $=4x^2+16z^2-16xz$ $=48-112$ $=-64$	 B1 B1 B1
11	a) $-x^2+3x+10$ $-x$ 5 $5x$ x 2 $-2x$ $-x^2$ 10 $3x$ $=(-x+5)(x+2)$	 www.exampaper.biz B1
	b) When $x=0$, $y=-0^2+3(0)+10$ $=10$	 B1
	c) The root(s) is/are 5 and -2.	B1 each
	d) y - intercept = 10	B1

www.exampaper.biz
Downloaded from SingaKids.com

www.exampaper.biz

1	a) i) $(a+2)(a-2)=a^2-4$ ii) $(40-2)(40+2)$ $=40^2-2^2$ OR 40^2-4 $=1600-4$ $=1596$	 B1 M1 A1
	b) i) $(x-2)^2=x^2-4x+4$ ii) 78^2 $=(80-2)^2$ $=80^2-2(80)(2)+2^2$ OR $80^2-4(80)+4$ $=6400-320+4$ $=6084$	 B1 M1 A1
2	a) When $a=3$, $b=1$ and $c=2$, $3=\frac{k(1)}{2^2}$ $k=3\times4$ $k=12$	 B1 B1
	b) When $a=4$, $c=-2$, $4=\frac{12(b)}{(-2)^2}$ $4\times4=12b$ $b=\frac{16}{12}=\frac{4}{3}$	 M1 A1
3	a) $(x-2)-15x^2-9x$ $=x-2-15x^2-9x$ $=-15x^2-9x+x-2$ $=-15x^2-8x-2$	 B1 (2nd and 3rd step) B1
	b) $x(7x+2)+5(-x+5)$ $=7x^2+2x-5x+25$ $=7x^2-3x+25$	B1 (expansion) B1

www.exampaper.biz

Downloaded from SingaKids.com

www.exampaper.biz

4	Area of trapezium $= \frac{1}{2} \times 6 \times \left[\frac{x}{2} + (2x + 5) \right]$	B1
	$= 3 \times \left[\frac{x}{2} + (2x + 5) \right]$	
	$= \frac{3x}{2} + 6x + 15$	
	$= 7.5x + 15$ OR $\frac{15x}{2} + 15$ OR $\frac{15x + 30}{2}$	B1
5	Let the height of the man be x.	
	$\frac{2.5}{1.07 + 2.5} = \frac{6 - x}{6}$	B1 (Correct ratio)
	$6(2.5) = (6 - x)(3.57)$	
	$21.42 - 3.57x = 15$	B1 (Correct manipulation to linear form)
	$-3.57x = -6.42$	
	$x = 1.8$ (1 d.p.)	B1 (Final answer)
	The man's height is 1.8 m.	
	OR	
	$\frac{1.07}{2.5 + 1.07} = \frac{CE}{6}$	B1 (Correct ratio)
	$CE = \frac{6(1.07)}{3.57}$	B1 (Correct numerical manipulation to get CE)
	$CE = 1.8$ (1 d.p.)	
	The man's height is 1.8 m.	B1 (Final answer)
	OR	
	$\frac{2.5}{2.5 + 1.07} = \frac{BE}{6}$	B1 (Correct ratio)
	$BE = \frac{2.5}{3.57} \times 6$	
	$BE = 4.201680672$	
	$6 - 4.401680672 = 1.798319328 \approx 1.8$	B1 (Subtracting from 6)
	The man's height is 1.8 m.	B1

www.exampaper.biz

Downloaded from SingaKids.com

www.exampaper.biz

6	a) $b=\dfrac{2a+3}{4-a}$ $b(4-a)=2a+3$ $4a-ab=2a+3$ $-ab-2a=3-4b$ $a(-b-2)=3-4b$ $a=\dfrac{3-4b}{-b-2}$	M1 (Multiplying) M1 (Isolating a) A1
	b) $c=\sqrt[3]{3-\dfrac{a}{4}}$ $c^3=3-\dfrac{a}{4}$ $c^3-3=-\dfrac{a}{4}$ $\dfrac{a}{4}=3-c^3$ $a=4(3-c^3)$	M1 (cube) M1 (Moving terms unrelated to a to one side) A1
	c) $b=\dfrac{2[4(3-c^3)]+3}{4-4(3-c^3)}$ $=\dfrac{8(3-c^3)+3}{4-12+4c^3}$ $=\dfrac{24-8c^3+3}{-8+4c^3}$ $=\dfrac{27-8c^3}{-8+4c^3}$	M1 (e.c.f. Substitution) M1 (Correct BIDMAs) A1
	d) When $c=2$, $b=\dfrac{27-8(2)^3}{-8+4(2)^3}$ $=\dfrac{27-8(8)}{-8+4(8)}$ $=\dfrac{27-64}{-8+32}$ $=\dfrac{-37}{24}$ $=-1\dfrac{13}{24}$	M1 (e.c.f. Substitution) A1

www.exampaper.biz

Downloaded from SingaKids.com

www.exampaper.biz

A1 for question 7 means that answer is not totally correct.


7	a) $\frac{240}{x}$ $240 \div x$ and $240 \times \frac{1}{x}$ *Accepted this time round but will be wrong from next assessment onwards.*	B1
	b) $\frac{240}{x+2}$	B1
	c) $\frac{240}{x} - \frac{240}{x+2} = 10$ $\frac{240(x+2) - 240x}{x(x+2)} = 10$ $\frac{240x + 480 - 240x}{x^2 + 2x} = 10$ $480 = 10(x^2 + 2x)$ $\therefore x^2 + 2x = 48$ $x^2 + 2x - 48 = 0$	B1 (e.c.f.) B1 (combine fraction) B1
	d) $x^2 + 2x - 48 = 0$ $x \times 8 = 8x$ $x \times -6 = -6x$ $x^2 \quad -48 \quad 2x$ $(x+8)(x-6) = 0$ $x = -8$ or $x = 6$	B1 B1
	e) $x = -8$ is rejected. Amount of water cannot be negative.	B1 B1
	f) Time taken (min) to empty barrel $= \frac{240}{6}$ $= 40$	B1
8	a) $p = 10$ $q = 4$	B1 B1
	c) Value of x when y is maximum $= 1.25 \pm 0.1$	B1
	d) Roots $= 3.5 \pm 0.1$ and -1 ± 0.1	B1 B1
	e) $-2x^2 + 5x + 7 = 0$ $x \times 1 = -2x$ $-2x \times 7 = 7x$ $-2x^2 \quad 7 \quad 5x$ $(x+1)(-2x+7) = 0$ $x = -1$ or $x = 3.5$	B1 B1

www.exampaper.biz

Downloaded from SingaKids.com

www.exampaper.biz

8 b)



Correct Axis (arrowhead only on right side and top of axes, labelling of axes, correct intervals and scale) – B1

Correct plotting of points (marked correctly) – B1

Line (straight curve) – B1

www.exampaper.biz

Downloaded from SingaKids.com