

1 A basic gas **X** is denser than air and is very soluble in water.

Which method is used to collect a dry sample of the gas?


A




B



C



D




2 Which changes will occur when a liquid at room temperature becomes a gas?

	energy of particle	separation of particles
A	decrease	increase
B	decrease	decrease
C	increase	decrease
D	increase	increase

Downloaded from SingaKids.com

3 A chromatogram of several inks is shown below.



Which of the following three inks, when mixed, does **not** obtain black ink?

A blue, green, brown

B green, orange, brown

C red, blue, green

D red, green, brown

4 Students are asked to state

- the number of atoms in one molecule of aqueous ammonia; and
- the relative molecular mass, M_r of this alkali.

Which of the following options shows the correct answers?

	number of atoms	M_r
A	3	17
B	4	18
C	4	35
D	7	35

Downloaded from SingaKids.com

5 The table below shows four substances and some of their properties.

substance	effect of heat in air	solid conducts electricity	melting point
W	decomposes to form a solid and a gas	no	fixed
X	forms a basic oxide	no	fixed
Y	melts	yes	fixed
Z	melts	yes	variable

Which of the following statements is true about the substances **W**, **X**, **Y** and **Z**?

A **W** is an element.

B **X** is a diatomic element.

C **Y** can be separated by physical methods.

D **Z** is a mixture.

6 The following table shows information about elements **X** and **Y**.

element	proton number	mass number
X	11	23
Y	8	17

What is the chemical formula and type of bond of the compound that is formed between **X** and **Y**?

	chemical formula	type of bond
A	$\mathbf{X_2Y}$	covalent
B	$\mathbf{XY_2}$	covalent
C	$\mathbf{X_2Y}$	ionic
D	$\mathbf{XY_2}$	ionic

Downloaded from SingaKids.com

7 Which of the following substances is expected to have low melting and boiling point, is insoluble in water and does not conduct electricity at all?

A CCl_4

B MgO

C NaCl

D $PbSO_4$

8 0.1 mol/dm^3 hydrochloric acid reacts with 25 cm^3 of 0.2 mol/dm^3 aqueous sodium carbonate.

The equation for the reaction is shown.

$$2HCl + Na_2CO_3 \rightarrow 2NaCl + H_2O + CO_2$$

What is the volume of acid required to neutralise exactly this volume of sodium carbonate?

A 6.25 cm^3

B 25 cm^3

C 50 cm^3

D 100 cm^3

9 Solutions of two chemicals are mixed. A reaction occurs and the temperature change is measured.

Which statement is correct?

A If the reaction is endothermic, energy is taken in and the temperature of the mixture decreases.

B If the reaction is endothermic, energy is given out and the temperature of the mixture increases.

C If the reaction is exothermic, energy is given out and the temperature of the mixture decreases.

D If the reaction is exothermic, energy is taken in and the temperature of the mixture increases.

Downloaded from SingaKids.com


10 Acidified aqueous solution **X** is added to compound **Y**.

Solution **X** changes from purple to colourless. What can **X** and **Y** be?

	solution **X**	compound **Y**
A	potassium manganate (VII)	reducing agent
B	iodine solution	reducing agent
C	potassium manganate (VII)	oxidising agent
D	iodine solution	oxidising agent

11 Hydrogen chloride gas is soluble in both methylbenzene, an organic solvent, and in water.

In an experiment, hydrogen chloride gas is bubbled into the different solvents.



Flask **A** Flask **B**

When a few drops of Universal Indicator solution is added into flask **A**, the indicator remained green but when added to flask **B**, it turned red. What could be the reason?

A HC*l* does not produce hydrogen ions in methylbenzene.

B HC*l* undergoes a redox reaction with methylbenzene.

C HC*l* neutralises the Universal Indicator solution.

D HC*l* neutralises methylbenzene.

12 Which of the following oxides can react with both acids and alkalis?

A lead(II) oxide

B calcium oxide

C iron(II) oxide

D copper(II) oxide

Downloaded from SingaKids.com

13 The following shows part of the Periodic Table. The letters do not represent the actual symbols of the elements.

Period	Group								
	I	II		III	IV	V	VI	VII	0
1									
2	**U**	**S**						**T**	
3	**Y**							**Z**	

Which one of the following statements is **false**?

A **U, S** and **Y** are metals, while **T** and **Z** are non-metals.

B **Y** has a higher boiling and melting point than **U**.

C The compound formed between **S** and **T** has the formula of $\mathbf{ST_2}$.

D The oxides of **U**, **Y** and **S** are basic.

14 Stainless steel is used to make cutlery. Aluminium is used to make food containers.

Which property do both stainless steel and aluminium have that makes them suitable for these uses?

A They are very strong.

B They are good conductors of heat.

C They are good conductors of electricity.

D They are resistant to corrosion.

15 Which reaction occurring in the blast furnace is a neutralisation reaction?

A $C + CO_2 \rightarrow 2CO$

B $C + O_2 \rightarrow CO_2$

C $CaO + SiO_2 \rightarrow CaSiO_3$

D $Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$

Downloaded from SingaKids.com

16 Metals **X** and **Y** display the chemical behaviours as shown below when added to the various solutions.

aqueous solution	metal **X** added	metal **Y** added
magnesium nitrate	no reaction	no reaction
zinc nitrate	zinc displaced	no reaction
iron(II) nitrate	iron displaced	no reaction
copper(II) nitrate	copper displaced	copper displaced

Which of the following is the correct arrangement of metals in order of decreasing reactivity?


A magnesium, **X**, zinc, iron, **Y**, copper

B magnesium, zinc, iron, **X**, **Y**, copper

C magnesium, **X**, zinc, iron, copper, **Y**

D **X**, magnesium, zinc, iron, **Y**, copper

17 An 80 cm^3 sample of air is trapped in a syringe. The air is slowly passed over heated iron in a tube until there is no further decrease in volume.



When cooled to the original temperature, what is the volume of gas remaining?

A 17 cm^3

B 21 cm^3

C 63 cm^3

D 80 cm^3

Downloaded from SingaKids.com

18 Which of the following hydrocarbons would you expect to find in petroleum gas?

A C_3H_8
B C_7H_{14}
C $C_{16}H_{34}$
D $C_{20}H_{22}$

19 Which of the following petroleum fractions is correctly matched to its use?

	fraction	use
A	bitumen	as feedstock for chemical industry
B	naphtha	for making roads
C	lubricating oil	for making polishes and waxes
D	diesel oil	as jet fuel

20 When petrol is burnt, gases are produced.
Which gas is toxic and is produced by incomplete combustion of petrol?

A carbon dioxide
B carbon monoxide
C oxides of nitrogen
D water vapour

Downloaded from SingaKids.com

Data Sheet

Colours of Some Common Metal Hydroxides

calcium hydroxide	white
copper(II) hydroxide	light blue
iron(II) hydroxide	green
iron(III) hydroxide	red-brown
lead(II) hydroxide	white
zinc hydroxide	white

Downloaded from SingaKids.com

The Periodic Table of Elements

Group																	
I	II											III	IV	V	VI	VII	0
							1 H hydrogen 1										2 He helium 4
3 Li lithium 7	4 Be beryllium 9		Key proton (atomic) number atomic symbol name relative atomic mass									5 B boron 11	6 C carbon 12	7 N nitrogen 14	8 O oxygen 16	9 F fluorine 19	10 Ne neon 20
11 Na sodium 23	12 Mg magnesium 24											13 Al aluminium 27	14 Si silicon 28	15 P phosphorus 31	16 S sulfur 32	17 Cl chlorine 35.5	18 Ar argon 40
19 K potassium 39	20 Ca calcium 40	21 Sc scandium 45	22 Ti titanium 48	23 V vanadium 51	24 Cr chromium 52	25 Mn manganese 55	26 Fe iron 56	27 Co cobalt 59	28 Ni nickel 59	29 Cu copper 64	30 Zn zinc 65	31 Ga gallium 70	32 Ge germanium 73	33 As arsenic 75	34 Se selenium 79	35 Br bromine 80	36 Kr krypton 84
37 Rb rubidium 85	38 Sr strontium 88	39 Y yttrium 89	40 Zr zirconium 91	41 Nb niobium 93	42 Mo molybdenum 96	43 Tc technetium -	44 Ru ruthenium 101	45 Rh rhodium 103	46 Pd palladium 106	47 Ag silver 108	48 Cd cadmium 112	49 In indium 115	50 Sn tin 119	51 Sb antimony 122	52 Te tellurium 128	53 I iodine 127	54 Xe xenon 131
55 Cs caesium 133	56 Ba barium 137	57 – 71 lanthanoids	72 Hf hafnium 178	73 Ta tantalum 181	74 W tungsten 184	75 Re rhenium 186	76 Os osmium 190	77 Ir iridium 192	78 Pt platinum 195	79 Au gold 197	80 Hg mercury 201	81 Tl thallium 204	82 Pb lead 207	83 Bi bismuth 209	84 Po polonium –	85 At astatine –	86 Rn radon –
87 Fr francium –	88 Ra radium –	89 – 103 actinoids	104 Rf Rutherfordium –	105 Db dubnium –	106 Sg seaborgium –	107 Bh bohrium –	108 Hs hassium –	109 Mt meitnerium –	110 Ds darmstadtium –	111 Rg roentgenium –	112 Cn copernicium –		114 Fl flerovium –		116 Lv livermorium –		

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium –	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
actinoids	89 Ac actinium –	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium –	94 Pu plutonium –	95 Am americium –	96 Cm curium –	97 Bk berkelium –	98 Cf californium –	99 Es einsteinium –	100 Fm fermium –	101 Md mendelevium –	102 No nobelium –	103 Lr lawrencium –

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).

Downloaded from SingaKids.com

AHMAD IBRAHIM SECONDARY SCHOOL
GCE O-LEVEL PRELIMINARY EXAMINATION 2019

SECONDARY 4 EXPRESS / 5 NORMAL (ACADEMIC)

Name:	Class:	Register No.:

SCIENCE (CHEMISTRY) **5076 / 03**
5078 / 03

Paper 3 **28 August 2019**
1 hour 15 minutes

Additional Materials:
Nil

READ THESE INSTRUCTIONS FIRST:
Do not open this booklet until you are told to do so.
Write down your name, class and register number on this page.

You may use an HB pencil for any diagram, graphs, tables or rough working.
Write in dark blue or black pen.
Do not use staples, paper clips, glue or correction fluid.
The use of an approved scientific calculator is expected, where appropriate.
You may lose marks if you do not show your working or it you do not use appropriate units.

Section A
Answer **all** questions.
Write your answers in the spaces provided on the question paper.
Section B
Answer any **two** questions.
Write your answers in the spaces provided on the question paper.

A copy of the Data Sheet is printed on page 16.
A copy of the Periodic Table is printed on page 17.
The number of marks is given in brackets [ ] at the end of each question or part question.

	Marks
Paper 1	**/20**
Paper 3	**/65**
Paper 5	**/15**
Total	**/100**

Downloaded from SingaKids.com

Section A

Answer **all** the questions in the spaces provided.

1 The following are terms used to describe chemical reactions.

addition	fermentation	neutralisation
rusting	redox	substitution

Using the terms above, identify the type of reaction that each chemical equation represents.

Each term can only be used once, more than once or not at all.

(a) $C_3H_6 + H_2 \rightarrow C_3H_8$ ……..[1]

(b) $KOH + HCl \rightarrow KCl + H_2O$ ……..[1]

(c) $H_2 + F_2 \rightarrow 2HF$ ……..[1]

(d) $C_2H_6 + Cl_2 \rightarrow C_2H_5Cl + HCl$ ……..[1]

2 Two isotopes of sodium are $^{22}_{11}Na$ and $^{23}_{11}Na$.

(a) Complete Table 2.1 about the particles found in one atom of each of these isotopes.

Table 2.1

	number of		
	protons	electrons	neutrons
$^{22}_{11}Na$			
$^{23}_{11}Na$			

[2]

(b) Sodium is a Group I metal.
State two physical properties of Group I, that are not displayed by other metals.

1……

2……..... [2]

(c) Sodium reacts with cold water, as shown in the half equation.

$$Na(s) \rightarrow Na^+(aq) + e^-$$

State the name of the particle with the symbol e^-.

……..[1]

Downloaded from SingaKids.com

3 **(a)** Sodium chloride and lead(II) chloride are two different salts which require two different methods of preparation.

Fill in the blanks in Table 3.1 to name the possible reactants used to prepare these two different salts.

Table 3.1

salt	reactant 1	reactant 2
sodium chloride		
lead(II) chloride		

[2]

(b) A practical book gives the following instructions for preparing magnesium nitrate crystals.

Place 100 cm^3 of dilute nitric acid in a beaker. Heat the acid until it is almost boiling. Add magnesium powder **until no more can dissolve**. **Filter the mixture**. Place the filtrate in an evaporating dish. Place the evaporating dish on a tripod and heat it until the liquid has been reduced to **about one-third of its volume**. Put the filtrate aside to allow it to cool. Filter off the crystals from the cooled solution and dry them between pieces of filter paper.

State the purpose of the underlined instructions below.

instruction	purpose
until no more can dissolve	
filter the mixture	
about one-third of its volume	

[3]

Downloaded from SingaKids.com

(c) The concentration of magnesium nitrate solution is 0.5 mol/dm^3.

(i) Calculate the concentration in g/dm^3.

concentration = ... g/dm^3 [2]

(ii) Calculate the volume of the solution that contains 7.40 g of magnesium nitrate.

volume = ... cm^2 [2]

4 Fig. 4.1 shows some of the stages in the manufacture of a fertiliser, ammonium sulfate.

In reaction vessel **1**, nitrogen gas and hydrogen gas react to produce ammonia, which enters reaction vessel **4** through connecting pipe **B**. Sulfuric acid is made from sulfur dioxide in two stages. Ammonia and sulfuric acid will then react in the reaction vessel **4** to form ammonium sulfate.




Fig. 4.1

(a) **(i)** Write a balanced chemical equation, for the reaction that takes place in reaction vessel **1**.

.....[1]

Downloaded from SingaKids.com

(ii) Calculate the volume of hydrogen needed to produce 900 dm^3 of ammonia gas, at room temperature and pressure, for the manufacture of ammonium sulfate.

volume of hydrogen needed = …….. dm^3 [2]

(b) **(i)** From which connecting pipe would a major leak cause a decrease in the pH value of rain? Explain your answer.

……

……

…...……[2]


(ii) State one effect on the environment from the decrease in the pH value of rain.

……

…...……[1]

Downloaded from SingaKids.com

5 **(a)** The diagram shows the cycle of changes when iron is extracted and then rusts.



Identify the change that involves oxidation and the change that involves reduction. Give reasons for your answers.

……..

……

……

…….....[2]

(b) One of the methods of rust prevention is by spraying the metal surface with a layer of oil.

(i) Explain how this method prevents rusting.

……..…

…….[1]

(ii) Anti-rust spray can also be applied to surfaces to prevent rusting.
The figure below shows the active ingredient in a bottle of anti-rust spray.



Anti-rust spray

Active ingredient: Tannic acid, Zinc powder

Explain how the anti-rust spray helps to prevent rusting.

……..

……..

…….[2]

Downloaded from SingaKids.com

6 Fig. 6.1 shows the reactions of some substances.




Fig. 6.1

(a) Name the substances **P**, **Q**, **R** and **S**.

P: ……

Q: ……

R: ……

S: ……

[4]

(b) Write the chemical equation for the formation of **S** from **Q**.

……..[1]

(c) State the colour of solution **U**.

……..…….[1]

Downloaded from SingaKids.com

7 Aldehydes are a homologous series of organic compounds like alkanes and alkenes. Table 7.1 shows the names, formulae and boiling points of three aldehydes.

Table 7.1

name	formula	boiling point (°C)
methanal	HCHO	−19
ethanal	CH_3CHO	20
propanal	C_2H_5CHO	49

(a) Use the information in Table 7.1 to give two pieces of evidence that suggest that these aldehydes are a homologous series.

……

……

……[2]

(b) Predict the name, formula and boiling point of the next member of this homologous series.

name: ……


formula: ……

boiling point: ……

[3]

(c) In some countries, ethanol is made from glucose for use as a fuel.

The flowchart summarises the production process for ethanol.



(i) Name the processes that take place at stage **1** and **2**.

stage **1**: ……..

stage **2**: ……..

[2]

Downloaded from SingaKids.com

(ii) Write a balanced chemical equation for the reaction in stage **1**.

……[1]

(iii) State two conditions for the reaction to occur in stage **1**.

……

……[2]


Downloaded from SingaKids.com

Section B

Answer any **two** questions in this section.
Write your answers in the spaces provided.

8 Fluorine is an element in Group VII.

A jet of fluorine gas is aimed at a piece of filter paper soaked in a solution of potassium bromi de.



The solution on the filter paper quickly turns brown.

(a) Explain why the solution turns brown. Include an equation to support your answer.

……..

……..

……..

……..[3]

(b) 50 cm^3 of fluorine gas reacts with excess water to give oxygen and hydrogen fluoride, HF, which is weakly acidic. The chemical equation is given below.

$$2F_2\,(g) + 2H_2O\,(l) \rightarrow O_2\,(g) + 4HF\,(aq)$$

(i) Universal Indicator can be used to determine when the reaction is completed. State the possible colour changes as the reactants react until the reaction is completed.

……

……..…[1]

(ii) Calculate the mass of oxygen gas produced at room temperature and pressure. [The volume of one mole of any gas is 24 dm^3 at room temperature and pressure.]

mass of oxygen gas = ……[2]

Downloaded from SingaKids.com

(c) **(i)** Draw a 'dot and cross' diagram to show the arrangement of the outer shell electrons in one molecule of fluorine.

[2]

(ii) Fluorine can be liquified and has a low boiling point.

Explain why the boiling point of fluorine is low.

……

……


……

……..…[2]


Downloaded from SingaKids.com

9 The following set-up is used to investigate the effects of particle size on the rate of reaction. Small lumps of zinc carbonate were added to excess hydrochloric acid.

The time taken for the reaction to complete is 5 minutes.



(a) (i) Sketch a labelled graph to show the progress of this reaction.



[2]

(ii) With reference to the graph that you had sketched, explain the progress of the reaction.

……...

……...

……...

……...

……...

……..…[3]

Downloaded from SingaKids.com

(b) The experiment was repeated but with powdered zinc carbonate.

(i) Sketch on the same axes in **(a)(i)**, the new graph that you would expect for the experiment with powdered zinc carbonate. Label this graph **X**.

[1]

(ii) Use the collision theory to explain your graph.

…….....

…….....

…….....

…….....

……..…….....[2]

(c) Sketch a different experimental set up that can be used to determine the rate of reaction.

[2]

Downloaded from SingaKids.com

10 **(a)** Cracking involves a breakdown of large hydrocarbon molecules into smaller ones. During cracking, molecules of octane, C_8H_{18}, produce two different products.

(i) Complete the equation to show the formula of product **X**.

C_8H_{18} → C_4H_{10} + 2 _____ [1]
octane butane (product **X**)

(ii) State the name and draw the structural formula of product **X** in the box below.

Name of product **X**: _____

structural formula of product **X**

[2]


(iii) Describe a chemical test to distinguish between butane and product **X** and give the results of the test.

……

……

……[2]

(b) Propene is a hydrocarbon that can be polymerised. The structure of propene is shown below.



(i) Use the structure of propene to explain how it can form a polymer.

……...

……...

……[2]

Downloaded from SingaKids.com

(ii) State the name of the polymer formed.

……..[1]

(iii) Draw the structure of the polymer which is formed.
(Show at least three repeat units.)

[2]

END OF PAPER

Setter: Mdm Phua MH

Downloaded from SingaKids.com

Colours of Some Common Metal Hydroxides

calcium hydroxide	white
copper(II) hydroxide	light blue
iron(II) hydroxide	green
iron(III) hydroxide	red-brown
lead(II) hydroxide	white
zinc hydroxide	white

Downloaded from SingaKids.com

The Periodic Table of Elements

Group																	
I	II											III	IV	V	VI	VII	0
							1 H hydrogen 1										2 He helium 4
3 Li lithium 7	4 Be beryllium 9											5 B boron 11	6 C carbon 12	7 N nitrogen 14	8 O oxygen 16	9 F fluorine 19	10 Ne neon 20
11 Na sodium 23	12 Mg magnesium 24											13 Al aluminium 27	14 Si silicon 28	15 P phosphorus 31	16 S sulfur 32	17 Cl chlorine 35.5	18 Ar argon 40
19 K potassium 39	20 Ca calcium 40	21 Sc scandium 45	22 Ti titanium 48	23 V vanadium 51	24 Cr chromium 52	25 Mn manganese 55	26 Fe iron 56	27 Co cobalt 59	28 Ni nickel 59	29 Cu copper 64	30 Zn zinc 65	31 Ga gallium 70	32 Ge germanium 73	33 As arsenic 75	34 Se selenium 79	35 Br bromine 80	36 Kr krypton 84
37 Rb rubidium 85	38 Sr strontium 88	39 Y yttrium 89	40 Zr zirconium 91	41 Nb niobium 93	42 Mo molybdenum 96	43 Tc technetium -	44 Ru ruthenium 101	45 Rh rhodium 103	46 Pd palladium 106	47 Ag silver 108	48 Cd cadmium 112	49 In indium 115	50 Sn tin 119	51 Sb antimony 122	52 Te tellurium 128	53 I iodine 127	54 Xe xenon 131
55 Cs caesium 133	56 Ba barium 137	57 – 71 lanthanoids	72 Hf hafnium 178	73 Ta tantalum 181	74 W tungsten 184	75 Re rhenium 186	76 Os osmium 190	77 Ir iridium 192	78 Pt platinum 195	79 Au gold 197	80 Hg mercury 201	81 Tl thallium 204	82 Pb lead 207	83 Bi bismuth 209	84 Po polonium –	85 At astatine –	86 Rn radon –
87 Fr francium –	88 Ra radium –	89 – 103 actinoids	104 Rf Rutherfordium –	105 Db dubnium –	106 Sg seaborgium –	107 Bh bohrium –	108 Hs hassium –	109 Mt meitnerium –	110 Ds darmstadtium	111 Rg roentgenium	112 Cn copernicium		114 Fl flerovium –		116 Lv livermorium –		

Key

proton (atomic) number
atomic symbol
name
relative atomic mass

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium –	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
actinoids	89 Ac actinium –	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium –	94 Pu plutonium –	95 Am americium –	96 Cm curium –	97 Bk berkelium –	98 Cf californium –	99 Es einsteinium –	100 Fm fermium –	101 Md mendelevium –	102 No nobelium –	103 Lr lawrencium –

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).

AISS Prelim 5076/03/2019 5078/03/2019

Downloaded from SingaKids.com


Downloaded from SingaKids.com

2019 4E5NA Prelim Exam
Science Chemistry Solutions

MCQ

1.	C	5.	D	9.	A	13.	B	17.	C
2.	D	6.	C	10.	C	14.	D	18.	A
3.	C	7.	A	11.	A	15.	C	19.	C
4.	D	8.	D	12.	A	16.	A	20.	B

Paper 3
Section A

No.	Answers	Marks	Marker's Report
1(a)	addition	[1]	well answered
(b)	neutralisation	[1]	well answered
(c)	redox	[1]	Some students wrote substitution, could have confused with substitution of halogens
(d)	substitution	[1]	quite a number wrote as fermentation
2(a)		[1] all three must be correct [1] all three must be correct	well answered
2(b)	soft metals or can be easily cut low bp/mp low density explosive when in contact with water	any 2 [2]	many gave general physical properties shown by all metals such as good electrical conductors, high density, high melting and boiling points

KiASU Exam Paper
Islandwide Delivery | Whatsapp Only 88600331

Downloaded from SingaKids.com

2(c)	electron	[1]	only less than 5 were able to give the correct answer, some possible answers given were hydrogen, hydroxide, hydrogen ions, water
3(a)	Sodium hydroxide and hydrochloric acid (accept any other possible and safe reactions)	1m for 2 correct answers [1]	some gave salt and acid
	Lead(II) nitrate and sodium chloride / hydrochloric acid (accept any other possible reactants)	[1]	some gave insoluble salt with soluble salt
3(b)	<u>Until no more can dissolve</u> To ensure that all the nitric acid has reacted <u>Filter the mixture</u> To separate the unreacted excess magnesium <u>About one-third of its volume</u> To obtain a saturated magnesium nitrate solution for crystallisation	[1] [1] [1]	many mentioned to dissolve all the magnesium oxide some were not specific and jus mentioned residue /filtrate some mentioned concentrated instead of saturation
3(c)(i)	0.5 x {24 + 2[14+3(16)]} = 74 g/dm^3	[1] [1]	many were unable to calculate Mr of magnesium nitrate accurately as the chemical formula is incorrect
3(c)(ii)	74g rep 1dm^3 7.4g rep $\frac{1}{74}$ X 7.4 = 0.1 dm^3 = 100 cm^3	 [1] [1]	most are not able to understand question
4(a)(i)	$N_2 + 3H_2 \rightarrow 2NH_3$	[1]	Balancing was poorly done
4(a)(ii)	At r.t.p. vol ratio = mol ratio NH_3 : H_2 Mol 2 : 3 Vol 900 : $\frac{900}{2} \times 3$ ∴ vol of H_2 gas required = <u>1350 dm^3</u>	 [1] [1]	marks were given for ecf

KIASU ExamPaper
Islandwide Delivery | Whatsapp Only 8866003

Downloaded from SingaKids.com

4(b)(i)	Pipe **C or** Vessel 2 Sulfur trioxide is an **<u>acidic gas</u> /** acidic oxide which will **<u>dissolve in rain</u> / react with water in the air** to form acid rain - must mention both	[1] [1]	many wrote Pipe D which was not acceptable as sulfuric acid will not be able to react with rain. a number mentioned Pipe B as they were confused with meaning of decrease in pH value
4(b)(ii)	Acid rain decreases the pH of the soil which affects crops yield / crops cannot grow well. *Must mention what happens to the soil that will affect the crop yield* *OR* Acid rain can corrode (any one of) limestone structures / stonework / metal structures *Must mention what happens to the type of buildings – limestone or metals* *OR* Acid rain decreases the the pH of the water and kills the fish in the ponds / rivers *Must mention what happens to the water that will affect the marine life*	[1]	
5(a)	oxidation: rusting reason: gain in oxygen reduction: extraction reason: loss in oxygen	[1] [1]	some did not identify the change
5(b)(i)	oil prevents the metal inside to come into contact with water and oxygen	[1]	most only mention contact with water or oxygen only instaed of both
5(b)(ii)	Anti rust paint contains zinc which is a <u>more reactive metal</u> than iron so zinc corrodes in place of iron	[1] [1]	only a few were able to identify that zinc was more reactive than iron some mentioned about tannic acid reacting with zinc
6(a)	P: copper Q: copper(II) oxide R: hydrogen S: copper(II) nitrate -1 overall if chemical formulas are given	1m each only nmes are accepted	many still missed out on (II)



KiASU ExamPaper
Islandwide Delivery | Whatsapp Only 88660031

Downloaded from SingaKids.com

6(b)	$CuO + 2HNO_3 \rightarrow Cu(NO_3)_2 + H_2O$	[1]	
6(c)	dark blue	[1]	well answered
7(a)	-one member differ from the next by a CH_2 -same functional group, CHO -gradual change in their boiling point(physical property) -same general formula, $C_nH_{2n+1}CHO$	any 2 [2]	most were able to give at least 1
7(b)	Name: butanal formula: C_3H_7CHO / C_4H_8O boiling point: any reasonable value above 49	[1] [1] [1]	well answered
7(c)(i)	Stage 1: fermentation Stage 2: fractional distillation	[1] [1]	Stage 1 well answered Stage 2 some were confusd and mentioned distillation
7(c)(ii)	$C_6H_{12}O_6 \longrightarrow 2CO_2 + 2C_2H_5OH$	[1]	some were confused with glucose formula
7(c)(iii)	yeast, temperature of 37 ^{O}C , absence of oxygen	[1]	well answered
8(a)	Fluorine has <u>displaced</u> bromine from potassium bromide as it is <u>more reactive</u> and <u>bromine which is brown is formed</u> $2KBr + F_2 \longrightarrow 2KF + Br_2$	[1] [1] [1]	equation badly written, missing out on the F_2, Br_2
8(b)(i)	Use Universal Indicator, initial colour will be green(neutral), when reaction is completed, colour is yellow/orange(weak acid)	[1]	very few mentioned bout colour <u>change</u>
8(b)(ii)	$2F_2 (g) + 2H_2O (l) \rightarrow O_2 (g) + 4HF (aq)$ F_2 : O_2 2 : 1 50 cm^3 : 25 cm^3 no of moles of O_2 = 25/24000 = 0.00104167 mass of O_2 = 0.00104167 X (16x2) = <u>0.0333g</u>	 [1] [1]	poorly answered with many not understanding the question [1]



KIASU ExamPaper Islandwide Delivery | Whatsapp Only 88600031

Downloaded from SingaKids.com

			[1]
8(c)(i)		1m correct bonding 1m correct valence ele for both atoms	most drew an atom of fluorine instead of molecule
8(c)(ii)	Consists of covalent bonds Little energy is needed to overcome the weak intermolecular forces of attraction between the molecules.	[1] [1]	
9(a)(i)	Graph sloping downwards flat towards the end with correct axes 	[1] graph going downwards [1] flat graph at labelled 5 mins	some gave the wrong curve some gave a line with constant slope -allow for ecf


KIASU ExamPaper
Islandwide Delivery | Whatsapp Only 88660031

Downloaded from SingaKids.com

9(a)(ii)	Initially, gradient is the steepest, rate of reaction fastest as there are highest concentration of reactants. As reaction progresses, rate of reaction decreases, gradient decreases as the concentration of the reactants decreases. Reaction stops when all zinc carbonate has been used up, gradient zero, at 5 mins onwards	[1] [1] [1]	most are unable to give an accurate description
9(b)(i)	Faster reaction. New curve below original 	[1]	
9(b)(ii)	when powdered, <u>surface area of zinc carbonate increases</u> so there is <u>greater chance of effective collision</u> leading to increase in speed of reaction	[1] [1]	some left out the term <u>effective</u>
9(c)	Rough sketch with labels 	[1] [1]	quite a number left out the stopwatch and the syringe

KLASU Exampaper
Islandwide Delivery | Whatsapp Only 88660031

Downloaded from SingaKids.com

10(a)(i)	C_2H_4	[1]	some gave the wrong formula as they did not see the 2
(ii)-	Ethene 	[1] [1]	well answered
10(a)(iii)	-use aqueous bromine. -bubble butane and ethene into 2 separate test tubes containing - aqueous bromine. -test tube with butane remains reddish brown -test tube with ethene turn from reddish brown to colourless rapidly	 [1] [1]	colour changes were not specific some mentioned that butane and ethene changed colour instaed of the aqueous bromine
10(b)(i)	-one of the bonds in each double bond breaks -each monomer forms single bonds with 2 other monomers polymer is formed	[1] [1]	most were not able to give a complete answer
10(b)(ii)	poly(propene)	[1]	well answered
10(b)(iii)		1m for 3 sets shown 1m for connection between 3 sets	most left out the last CH_3

KiASU ExamPaper
Islandwide Delivery | Whatsapp Only 88600831

Downloaded from SingaKids.com

Downloaded from SingaKids.com