TANJONG KATONG GIRLS' SCHOOL
PRELIMINARY EXAMINATION
SECONDARY FOUR EXPRESS

CANDIDATE NAME					
CLASS		E		INDEX NUMBER	

ADDITIONAL MATHEMATICS 4049/01

PAPER 1

14 August 2023

2 hour 15 minutes

Candidates answer on the Question Paper.

READ THESE INSTRUCTIONS FIRST

Write your index number and name on all the work you hand in.
Write in dark blue or black pen.
You may use an HB pencil for any diagrams or graphs.
Do not use staples, paper clips, glue or correction fluid.

Answer **all** questions.
If working is needed for any question it must be shown with the answer.
Omission of essential working will result in loss of marks.
The use of an approved scientific calculator is expected, where appropriate.
If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.
For π, use either your calculator value or 3.142, unless the question requires the answer in terms of π.

The number of marks is given in brackets [ ] at the end of each question or part question.
The total marks for this paper is 90.

For Examiner's use

Downloaded from SingaKids.com

1. ALGEBRA

Quadratic Equation

For the equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Binomial expansion

$$(a+b)^n = a^n + \binom{n}{1}a^{n-1}b + \binom{n}{2}a^{n-2}b^2 + ... + \binom{n}{r}a^{n-r}b^r + ... + b^n,$$

where n is a positive integer and $\binom{n}{r} = \frac{n!}{r!(n-r)!} = \frac{n(n-1)...(n-r+1)}{r!}$

2. TRIGONOMETRY

Identities

$$\sin^2 A + \cos^2 A = 1$$
$$\sec^2 A = 1 + \tan^2 A$$
$$\operatorname{cosec}^2 A = 1 + \cot^2 A$$
$$\sin(A \pm B) = \sin A \cos B \pm \cos A \sin B$$
$$\cos(A \pm B) = \cos A \cos B \mp \sin A \sin B$$
$$\tan(A \pm B) = \frac{\tan A \pm \tan B}{1 \mp \tan A \tan B}$$
$$\sin 2A = 2 \sin A \cos A$$
$$\cos 2A = \cos^2 A - \sin^2 A = 2\cos^2 A - 1 = 1 - 2\sin^2 A$$
$$\tan 2A = \frac{2\tan A}{1 - \tan^2 A}$$

Formula for ΔABC

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$
$$a^2 = b^2 + c^2 - 2bc\cos A$$
$$\Delta = \tfrac{1}{2}bc\sin A$$

Downloaded from SingaKids.com

1 A right circular cylinder has a volume of $\left(6+2\sqrt{3}\right)\pi$ cm^3 and a base radius of $\left(1+\sqrt{3}\right)$ cm. Find, **without using a calculator**, the height of the cylinder, in cm, in the form $\left(a+b\sqrt{3}\right)$, where a and b are integers. [3]

Downloaded from SingaKids.com

2 The curve $y = \frac{5}{x} + 3$ and the line $x - 2y - 3 = 0$ intersect at the points P and Q.

Find the coordinates of P and of Q. [3]

Downloaded from SingaKids.com

3 Express $3-3x-2x^2$ in the form $a(x+b)^2+c$ and hence state the coordinates of the turning point of the curve $y=3-3x-2x^2$. [4]

Downloaded from SingaKids.com

4 Integrate $\frac{8}{2x-1}+\frac{4}{x^3}+1$ with respect to x. [3]

Downloaded from SingaKids.com

5 Find the value of A, B, C, and D for which $\dfrac{4x^3+7x^2-13x-2}{(x^2+3)(x-1)} = A+\dfrac{Bx+C}{x^2+3}+\dfrac{D}{x-1}$. [6]

Downloaded from SingaKids.com


6 A polynomial, P, is $x^3 - x^2 - x + k$, where k is a constant.

(a) Find the value of k given that P leaves a remainder of 3 when divided by $x - 2$. [2]

(b) In the case where $k = -2$, the quadratic expression $x^2 + ax + 1$ is a factor of P. Find the value of the constant a. [3]

Downloaded from SingaKids.com

7



The diagram shows the curve $y = a\cos bx + c$ for $0 \le x \le \frac{2\pi}{3}$ radians, where *a*, *b* and *c* are integers. The curve has a maximum point at $\left(\frac{\pi}{3}, 1\right)$ and one of its minimum point at $\left(\frac{2\pi}{3}, -3\right)$.


(a) Find *b*. [2]

(b) Explain the effect of *c* on the curve, and show that $c = -1$. [2]

(c) State the amplitude, and write down the equation of the curve. [2]

Downloaded from SingaKids.com

8 [The volume of a sphere of radius r is $\frac{4}{3}\pi r^3$, and its surface area is $4\pi r^2$.]



The diagram shows a bubble tea cup of capacity 360π cm^3. It consists of a cylindrical body of base radius r cm and height h cm, and a hemispheric cap. Let S cm^2 be the total surface area of the cup.


(a) Show that $S = \pi\left(\frac{5}{3}r^2 + \frac{720}{r}\right)$. [4]

Downloaded from SingaKids.com

(b) Given that r can vary, find the stationary value of S and determine its nature. [5]

Downloaded from SingaKids.com

9



The diagram shows a quadrilateral *ABCD* with vertices $A(-4, -3)$, $B(6, 1)$, $C(3, 5)$ and $D(-2, 3)$. *M* which lies on the *x*-axis is the midpoint of the side *AD*.

(a) Explain why *ABCD* is a trapezium. [3]

(b) Find the coordinates of *M*. [2]

Downloaded from SingaKids.com

(c) A point N is on the side BC. Given that the area of the quadrilateral $MNCD$ is $\frac{65}{4}$ units^2, find the coordinates of N. [5]

Downloaded from SingaKids.com


10 **(a)** Prove the identity $\dfrac{\tan A - \cot A}{\tan A + \cot A} = 1 - 2\cos^2 A$. [4]

Downloaded from SingaKids.com

(b) Hence solve the equation $\frac{\tan 2\theta - \cot 2\theta}{\tan 2\theta + \cot 2\theta} = \frac{1}{2}$ for $0 < \theta < \pi$, giving your answers in terms of π. [4]

Downloaded from SingaKids.com

11



In the diagram, *PAQ* is the tangent to the circle at *A*. The line *BCT* is parallel to *PAQ* and *ADT* is a straight line.

(a) Prove that angle ADB = angle CDT. [4]

Downloaded from SingaKids.com

(b) Prove that triangles *TCD* and *BAD* are similar. [4]

Downloaded from SingaKids.com

12 **(a)** Show that the solution of the equation $3^{2x+4} \times 5^x = 3^{3x} \times 25^x$ is $x = \dfrac{\lg 81}{\lg 15}$. [4]

Downloaded from SingaKids.com

(b) Express the equation $\log_2 x + \log_4 (x+6) = 2$ as a cubic equation in x. [4]

Downloaded from SingaKids.com

13 The volume of liquid in a container, V m^3, is given by $V = 0.05\left[(3x+2)^3 - 8\right]$, where x is the height of the liquid in metres.

(a) Find an expression for $\frac{\mathrm{d}V}{\mathrm{d}x}$. [2]

The liquid enters the container at a constant rate of 0.081 m^3/s.


(b) Find the value of x when $V = 0.95$. [2]

Downloaded from SingaKids.com

(c) Hence find $\frac{dx}{dt}$ when $V = 0.95$, and explain the significance of your answer. [4]

Downloaded from SingaKids.com

14



The diagram shows part of the curve $y = x^3 + 3x^2 - 2$. The straight line L cuts the curve at $A(-3, -2)$, the x-axis at B, and intersects the curve again at C.

(a) The gradient of the tangent to the curve at $B = -3$, use it to find the coordinates of B. [3]

Downloaded from SingaKids.com

(b) Hence find the area of the shaded region. [6]

Downloaded from SingaKids.com

BLANK PAGE

Downloaded from SingaKids.com

Qn	Answers
1	$3-\sqrt{3}$
2	The coordinates of P and Q are $(-1, -2)$ and $\left(10, \frac{7}{2}\right)$.
3	$-2\left(x+\frac{3}{4}\right)^2+\frac{33}{8}$ maximum point at $\left(-\frac{3}{4}, \frac{33}{8}\right)$.
4	$4\ln(2x-1)-\frac{2}{x^2}+x+c$
5	$A=4,\ B=12,\ C=-13,\ D=-1$
6	$k=1$ $a=1$
7	$b=3$ $c=-1$ Amplitude $=2$ $y=-2\cos 3x-1$
8	$r=6$
9	$(-3,\ 0)$ $\left(\frac{9}{2}, 3\right)$
10	$\theta=\frac{\pi}{6}, \frac{\pi}{3}, \frac{2\pi}{3}, \frac{5\pi}{6}$
12	$x^3+6x^2-16=0$
13	$\frac{\mathrm{d}V}{\mathrm{d}x}=0.45(3x+2)^2$ $x=\frac{1}{3}$ $\frac{\mathrm{d}x}{\mathrm{d}t}=0.02$ m/s When the volume of the liquid in the tub is 0.95m^3, the height of liquid in the container is increasing at 0.02 m/s.
14	$y=x+1$ $\frac{21}{4}\text{units}^2$

Downloaded from SingaKids.com